ELSEVIER

Biomembranes

Vol. 1192, 1994

BBA Biochimica et Biophysica Acta

Cumulative Contents

Information for Contributors *vii*

Regular Papers

The role of vitamin D in chorioallantoic membrane calcium transport
M.A. Elaroussi, A. Uhland-Smith, W. Hellwig and H.F. DeLuca (USA) 1

Trehalose lowers membrane phase transitions in dry yeast cells
S.B. Leslie, S.A. Teter, L.M. Crowe and J.H. Crowe (USA) 7

Electron microscopic investigations on free-standing mixed lipid Langmuir-Blodgett-Kuhn monolayers: phase separation and aging process
G. Lieser, S. Mittler-Neher, J. Spinke and W. Knoll (Germany) 14

Phospholipid transverse asymmetry in trout spermatozoa plasma membrane
K. Müller, C. Labbé and A. Zachowski (France) 21

Dynamics of merocyanine 540 in model biomembranes: photoisomerization studies in small unilamellar vesicles
Y. Onganer and E.L. Quitevis (USA) 27

Liposome-induced activation of the classical complement pathway does not require immunoglobulin
J. Marjan, Z. Xie and D.V. Devine (Canada) 35

Reconstitution of hepatitis B surface antigen proteins into phospholipid vesicles
J. Gómez-Gutiérrez, I. Rodríguez-Crespo, D.L. Peterson and F. Gavilanes (Spain, USA) 45

Localization of the hinge region of the Ca^{2+}-ATPase of sarcoplasmic reticulum using resonance energy transfer
K.J. Baker, J.M. East and A.G. Lee (UK) 53

Permeability and stability in buffer and in human serum of fluorinated phospholipid-based liposomes
F. Frézard, C. Santaella, P. Vierling and J.G. Riess (France) 61

Significant stabilization of the phosphatidylcholine bilayer structure by incorporation of small amounts of cardiolipin
A. Shibata, K. Ikawa, T. Shimooka and H. Terada (Japan) 71

Voltage- and Ca^{2+}-dependence of the K^+ channel in the vacuolar membrane of *Chenopodium rubrum* L. suspension cells
F.W. Reifarth, T. Weiser and F.-W. Bentrup (Germany, Austria) 79

Phospholipid asymmetry in plasma membrane vesicles derived from BHK cells
J.L. Whatmore and D. Allan (UK) 88

Expression of Na^+-independent isoleucine transport activity from rat brain in *Xenopus laevis* oocytes
S. Bröer, A. Bröer and B. Hamprecht (Germany) 95

A biochemical-morphological study on microvillus plasma membrane development
L. Mazzanti, R. Staffolani, N. Cester, C. Romanini, A. Pugnaloni, M.M. Belmonte, E. Salvolini, M.A. Brunelli and G. Biagini (Italy) 101

Intracellular pH, cytosolic calcium concentration and electrical activity in RINm5F insulinoma cells
L. Best, C. Ammala, P. Rorsman and S. Tomlinson (UK, Sweden) 107

Electrodiffusion of ethidium cation into *Micrococcus luteus* cells
E.O. Puchkov and A.N. Melkozernov (Russia) 112

Affinity identification of organic anion transporters in brush-border membrane vesicles from rat kidney
Yu.N. Orlov, M.A. Zherebtsova and E.N. Kazbekov (Russia) 117

Different sensitivities of native and oxidized forms of Na^+/K^+-ATPase to intracellular proteinases
N. Zolotarjova, C. Ho, R.L. Mellgren, A. Askari and W.-h. Huang (USA) 125

Activity of phospholipase A_2 on a fluorescent substrate incorporated into non-hydrolyzable phospholipid liposomes
M.S. Fernández and J.A. Juárez (Mexico) 132

Rapid Report

cAMP-dependent protein kinase is not involved in catabolite inactivation of the transport of sugars in *Saccharomyces cerevisiae*
E. Riballo, M.J. Mazón and R. Lagunas (Spain) 143

Short Sequence-Paper

Sequence and functional expression of an amphibian water channel, FA-CHIP: a new member of the MIP family
L. Abrami, M. Simon, G. Rousselet, V. Berthonaud, J.-M. Buhler and P. Ripoche (France) 147

Regular Papers

High-affinity Ca^{2+},Mg^{2+}-ATPase in plasma membrane-rich preparations from olfactory epithelium of Atlantic salmon
Y.H. Lo, T.M. Bradley and D.E. Rhoads (USA) 153

L-Alanine transport in small intestine brush-border membrane vesicles of obese rats
D. Sanchís, M. Alemany and X. Remesar (Spain) 159

Phase behavior of the antineoplastic ether lipid 1-*O*-octadecyl-2-*O*-methyl-glycero-3-phosphocholine
N. Maurer, E. Prenner, F. Paltauf and O. Glatter (Austria) 167

Calmodulin-dependent modulation of pH sensitivity of the amino acid transport system L in human placental choriocarcinoma cells
M. Brandsch, F.H. Leibach, V.B. Mahesh and V. Ganapathy (USA) 177

Effects of dehydroabietic acid on the physical state of cytoskeletal proteins and the lipid bilayer of erythrocyte membranes
D.A. Butterfield, C.H. Trad and N.C. Hall (USA) 185

Differential sensitivity of organic anion transporters in rat renal brush-border membrane to diethyl pyrocarbonate
M. Takano, J. Nagai, T. Okano, K. Hirozane, M. Yasuhara and R. Hori (Japan) 190

Primary and secondary structure of a pore-forming toxin from the sea anemone, *Actinia equina* L., and its association with lipid vesicles
G. Belmonte, G. Menestrina, C. Pederzolli, I. Križaj, F. Gubenšek, T. Turk and P. Maček (Italy, Slovenia) 197

Bilayer packing characteristics of mixed chain phospholipid derivatives: Raman spectroscopic and differential scanning calorimetric studies of 1-stearoyl-2-capryl-*sn*-glycero-3-phosphocholine (C(18) : C(10)PC) and 1-stearoyl-2-capryl-*sn*-glycero-3-phospho-*N*-trimethyl propanolamine (C(18) : C(10)TMPC)
M.M. Batenjany, Z.-q. Wang, C.-h. Huang and I.W. Levin (USA) 205

Regulation of iron uptake and transport by transferrin in Caco-2 cells, an intestinal cell line
X. Alvarez-Hernandez, M. Smith and J. Glass (USA) 215

Morphology and volume alterations of human erythrocytes caused by the anion transporter inhibitors, DIDS and *p*-azidobenzylphlorizin
M.E. Blank, D.M. Hoefner and D.F. Diedrich (USA, Germany) 223

Regulation mechanism of the catalytic activity of bovine adrenal cytochrome $P\text{-}450_{11\beta}$
S. Kominami, D. Harada and S. Takemori (Japan) 234

Effect of membrane surface potential on the uptake of anionic compounds by liposomes
M. Sugawara, A. Hashimoto, M. Kobayashi, K. Iseki and K. Miyazaki (Japan) 241

Red blood cell aggregability is enhanced by physiological levels of hydrostatic pressure
S. Chen, B. Gavish, G. Barshtein, Y. Mahler and S. Yedgar (Israel) 247

Interactions of liposome bilayers composed of 1,2-diacyl-3-succinylglycerol with protons and divalent cations
A.M. Tari, N. Fuller, L.T. Boni, D. Collins, P. Rand and L. Huang (USA, Canada) 253

Structural characteristics of thylakoid membranes of *Arabidopsis* mutants deficient in lipid fatty acid desaturation
N.M. Tsvetkova, A.P.R. Brain and P.J. Quinn (UK) 263

Characterization and immunolocalization of rat liver annexin VI
C.E. Tagoe, C.M. Boustead, S.J. Higgins and J.H. Walker (UK) 272

Interactions of polyamines in the measurement of free magnesium concentration by mag-fura-2 and ^{31}P-NMR
T. Günther, J. Vormann, P. Konstanczak and A. Schäfer (Germany) 281

Rapid Reports

Effect of dithiothreitol on angiotensin II receptor type II in rat ovarian cultured granulosa cells
J. Ohnishi, M. Tanaka, M. Naruse, S. Usuki, K. Murakami and H. Miyazaki (Japan) 286

N-linked glycosylation is not required for Na^+/glucose symport activity in LLC-PK_1 cells
J.-S.R. Wu and J.E. Lever (USA) 289

Cumulative Contents, Vol. 1192 293

Author Index 295